

NS-2801-3-S / NS-2801-5.5-S
節能乾衣機
Energy Saving Drying Tumbler



NS-2801-3-S



- 適用於烘乾各種棉織、牛仔、梭織、針織、化纖等衣物
- 節能環保型設計，回收利用乾衣後排風余熱和蒸汽冷凝水余熱，有效利用熱能，降低生產成本，減少污染
- 備自動除塵裝置，降低對空氣質量造成的負面影響
- 采用全新的分段式加溫模式，有效地縮短了乾衣時間，顯著提高乾衣效率
- 機頂設有氣動冷風門，通過控制冷風對內膽衣物進行冷卻從而確保乾衣質量
- 采用PLC及人性化觸摸顯示屏控制，自動化程度高，使用簡單、方便
- 采用變頻控制系統，內膽轉動可實現變頻調速，可定時正、反轉動，使衣物均衡滾動
- 設有手動小門，方便檢測
- 機身可傾斜倒料，減少人力
- Suitable for drying garments made of various fabrics such as cotton, jeans, woven fabric, knitted fabric, synthetic textile, etc.
- Energy saving and eco-friendly design, the hot air exhausted from inner drum and hot condensed water from heat exchanger is efficiently recycled so as to save energy and minimize pollution.
- Equipped with automatic dust collecting device, which minimizes negative impact to the air quality.
- Adopt step heating mode to shorten the drying time and improve working efficiency.
- Pneumatic air damper on machine top controls the cool air for cooling down garments in inner drum so as to ensure the drying quality
- Adopt PLC and user friendly touch screen for operation, highly automated and easy to operate.
- Inverter control system applied for variable speed control, it can also rotate clockwise or anti clockwise according to the preset time so as to make the garment rotate evenly
- The equipped manual small door is convenient for drying status checking.
- The machine body can tilt forward for faster unloading so as to save labor.



機身傾斜倒料
Machine body tilting for garment unloading



自動除塵箱
Automatic dust collecting device



NS-2801-3-S


型號 Model	NS-2801-3-S	NS-2801-5.5-S
內膽容積 (m³) Inner Drum Capacity	3	5.5
電源 Power Supply	3PH/380V/50Hz	3PH/380V/50Hz
總功率 (kW) Total Power	6.7	13.5
風機功率 (kW) Fan Power	2.2+2.2	2.2+5.5
內膽馬達功率 (kW) Inner Drum Motor Power	2.2	5.5
蒸汽壓力 (kgf/cm²) Steam Pressure	3~5	3~5
耗蒸汽量 (kg/hr) Steam Consumption	75~120	137~220
壓縮空氣壓力 (kgf/cm²) Compressed Air Pressure	5	5
耗壓縮空氣量 (L/min) Compressed Air Consumption	25	50
內膽轉速 (RPM) Rotation Speed of Inner Drum	5~27	5~27
內膽尺寸(mm) Inner Drum Size	Ø1778 x 1194	Ø1880 x 1910




藝誠(余氏)發展有限公司
Ngai Shing Development Limited

香港九龍長沙灣永康街52號地下
G/F., 52 Wing Hong St.,
Cheung Sha Wan, Kln., Hong Kong.

Tel: (852) 2741 9981, 2742 0078 E-MAIL: info@ngaishing.com
Fax: (852) 2785 3149 Http://www.ngaishing.com



乾衣機工作原理圖
Work principle diagram of drying tumbler



自動環保除塵系統工作原理
Work principle of environment-friendly automatic de-dusting & filtering system