


**NS-533-84 / NS-533-94**

**針織圓筒布雙面卷布驗布機**

**Two-sided Knit Fabric Inspection and Winding Machine**



後視圖  
Rear elevation



- 適用針織圓筒布、針織、彈性布、梭織布的卷布、驗布
- 可一次性檢驗布料的正反面，驗布效果佳
- 捲布採用無段電子變速
- 備電子計數表，可米/碼轉換，方便記錄布匹長度
- 上燈箱配合下燈箱，使驗布更清晰

- Suitable for wining and inspection of tubular knit fabric, knit fabric, elastic fabric, woven fabric
- The two sides of fabric can be inspected in one step with desired result
- Continuous speed variation for fabric winding
- With electric counter (switchable between meter and yard), convenient for fabric length record
- Upper and lower light chambers provide clear view for the worker to inspect

型號 Model	電源 Power Supply	總功率(kW) Total Power	工作寬度 (inch) Working Width	最大疊裝布寬度(mm) Max. Fabric Zigzag Width	卷布直徑(mm) Fabric Winding Diameter	卷布速度(m/min) Winding Speed	機身尺寸 (mm) Machine Size
NS-533-84	1PH/220V/50Hz	1.5	80	500	Φ380	3~30	2620×1700×2090
NS-533-94	1PH/220V/50Hz	1.5	90	500	Φ380	3~30	2880×1700×2090



**藝誠(余氏)發展有限公司**  
**Ngai Shing Development Limited**

香港九龍長沙灣永康街52號地下


G/F., 52 Wing Hong St.,

Cheung Sha Wan, Kln., Hong Kong.

Tel : (852) 2741 9981, 2742 0078  
Fax : (852) 2785 3149

E-MAIL: info@ngaishing.com  
Http://www.ngaishing.com


Roll form 卷裝布  
 Inspection 驗後  
 Roll form 卷裝布



卷裝布變卷裝布原理圖

Working principle of fabric changing from roll form to roll form


Fold form 疊裝布  
 Inspection 驗後  
 Roll form 卷裝布



疊裝布變卷裝布原理圖

Working principle of fabric changing from fold form to roll form


Roll form 卷裝布  
 Inspection 驗後  
 Roll form 卷裝布



卷裝布變卷裝布原理圖

Working principle of fabric changing from roll form to roll form

Fold form 疊裝布  
 Inspection 驗後  
 Roll form 卷裝布



疊裝布變卷裝布原理圖

Working principle of fabric changing from fold form to roll form